Author Index

Adolf, G.R., Frühbeis, B., Hauptmann, R., Kalsner, I., Maurer-Fogy, I., Ostermann, E., Patzelt, E., Schwendenwein, R., Sommergruber, W. and Zöphel, A.
Human interferon ω1: isolation of the gene, expression in Chinese hamster ovary cells and characterization of the recombinant protein (1089) 167
Agsteribbe, E., see Taanman, J.-W. (1089) 283
Alberghina, L., see Forlani, N. (1089) 47
Alberghina, L., see Frascotti, G. (1089) 206
Allen, R.L., see Rogers, H.J. (1089) 411
Ariga, H., see Kihara, F. (1089) 227
Arnold, J., see Mayer, R.J. (1089) 141

Bailey, M., see Goodall, J.C. (1089) 257
Baldridge, G.D. and Fallon, A.M.
Nucleotide sequence of a mosquito 18S ribosomal RNA gene (1089) 396
Banfield, D.K., Chow, B.K.-C., Funk, W.D., Robertson, K.A., Umelas, T.M., Woodworth, R.C. and MacGillivray, R.T.A.
The nucleotide sequence of rabbit liver transferrin cDNA (1089) 262
Barak, V., see Friedman, G. (1089) 83
Bauer, J.W. and Fischer-Colbrie, R.
Primary structure of bovine chromogranin B deduced from cDNA sequence (1089) 124
Behnke, W.D., see Ernst, E.G. (1089) 331
Bekkers, A.C.A.P.A., Franken, P.A., Van den Bergh, C.J., Verbakel, J.M.A., Verheij, H.M. and De Haas, G.H.
The use of genetic engineering to obtain efficient production of porcine pancreatic phospholipase A_2 by *Saccharomyces cerevisiae* (1089) 345
Bell, D., Sabloff, M., Zannis-Hadjopoulos, M. and Price, G.
Anti-cruciform DNA affinity purification of active mammalian origins of replication (1089) 299
BeMent, D.M., see Smith, E.O. (1089) 266
Benedict, M.A., see DeSilver, D.A. (1089) 309
Bisson, R., see Rizzuto, R. (1089) 386
Biswas, C., see Kataoka, H. (1089) 393
Bokma, E., see Taanman, J.-W. (1089) 283
Bonny, C., Montandon, P.-E., Marc-Martin, S. and Stutz, E.
Analysis of streptomycin-resistance of *Escherichia coli* mutants (1089) 213
Brown, W.V., see Oka, K. (1089) 13
Bruni, C.B., see Chiariotti, L. (1089) 54

Capaldi, R.A., see Rizzuto, R. (1089) 386
Carter, K.C., Post, D.J. and Papaconstantinou, J.
Differential expression of the mouse α_1-acid glycoprotein genes (AGP-1 and AGP-2) during inflammation and aging (1089) 197
Chajek-Shaul, T., see Friedman, G. (1089) 83
Chiariotti, L., Wells, V., Bruni, C.B. and Mallucci, L.
Structure and expression of the negative growth factor mouse β-galactoside binding protein gene (1089) 54
Chow, B.K.-C., see Banfield, D.K. (1089) 262
Chrétien, M., see Nolet, S. (1089) 247
Chung, C.H., see Tamura, T. (1089) 95
Coccetti, P., see Frascotti, G. (1089) 206
Cohen, P.T.W., see Da Cruz e Silva,, E.F. (1089) 269
Cusack, S., see Leberman, R. (1089) 287

Da Cruz e Silva,, E.F., Hughes, V., McDonald, P., Stark, M.J.R. and Cohen, P.T.W.
Protein phosphatase $2B_w$ and protein phosphatase Z are *Saccharomyces cerevisiae* enzymes (1089) 269
De Caluwé, G.L.J., see Jansen, J.J.M. (1089) 68
De Crombrugghe, B., see Metsäranta, M. (1089) 241
De Grip, W.J., see Jansen, J.J.M. (1089) 68
De Haas, G.H., see Bekkers, A.C.A.P.A. (1089) 345
Denaro, M., see Sosio, M. (1089) 401
DeSilver, D.A., Benedict, M.A. and Ratner, D.I.
Effects of protein synthesis inhibition on the transcription and transcript stability of *Dictyostelium* prespore genes (1089) 309
De Vries, H., see Taanman, J.-W. (1089) 283

Emery, D.C., see Goodall, J.C. (1089) 257
Endo, H., see Ikejiri, K. (1089) 77
English, L.S., see Goodall, J.C. (1089) 257
Ernst, E.G. and Behnke, W.D.
Construction and expression of synthetic wild-type and mutant genes encoding porcine pancreatic colipase: tryptophan fluorescence studies (1089) 331
Etienne, J., see Friedman, G. (1089) 83

Fallon, A.M., see Baldridge, G.D. (1089) 396
Featherstone, M.S., see Sadoul, R. (1089) 259
Feigl, G., see Morrison, A.I. (1089) 121
Fischer-Colbrie, R., see Bauer, J.W. (1089) 124
Forlani, N., Martegani, E. and Alberghina, L.
Posttranscriptional regulation of the expression of *MET2* gene of *Saccharomyces cerevisiae* (1089) 47
Frank, R., see Morelle, G. (1089) 320
Franken, P.A., see Bekkers, A.C.A.P.A. (1089) 345
Frascotti, G., Coccetti, P., Vanoni, M.A., Alberghina, L. and Martegani, E.
The overexpression of the 3′ terminal region of the *CDC25* gene of *Saccharomyces cerevisiae* causes growth inhibition and alteration of purine nucleotides pools (1089) 206
Friedman, G., Barak, V., Chajek-Shaul, T., Etienne, J., Treves, A.J., Stein, O. and Stein, Y.
Recombinant human interleukin-1 suppresses lipoprotein lipase activity, but not expression of lipoprotein lipase mRNA in mesenchymal rat heart cell cultures (1089) 83
Frühbeis, B., see Adolf, G.R. (1089) 167
Fueki, T. and Yamaguchi, K.
Exonuclease III promotes in vitro binding of the replication initiator protein of plasmid pSC101 to the repeated sequences in the *ori* region (1089) 325
Fujiwara, T., see Tamura, T. (1089) 95
Fuller, G.M., see Nesbitt, J.E. (1089) 88
Funk, W.D., see Banfield, D.K. (1089) 262
Furuichi, M., see Ikejiri, K. (1089) 77

Gennis, R.B., see Newton, G. (1089) 8
Glenn, W.K., see Titchen, D.A. (1089) 61

Goodall, J.C., Emery, D.C., Bailey, M., English, L.S. and Hall, L.
cDNA cloning of porcine interleukin 2 by polymerase chain reaction (1089) 257
Grossman, L.I., see Smith, E.O. (1089) 266

Haas, R.C., see Payne, R.M. (1089) 352
Hall, L., see Goodall, J.C. (1089) 257
Hamilton, W.D.O., see Rogers, H.J. (1089) 411
Harrison, L.C., see Maher, F. (1089) 27
Härtlein, M., see Leberman, R. (1089) 287
Hauptmann, R., see Adolf, G.R. (1089) 167
Hauser, H.-P., see Jentsch, S. (1089) 127
Hayes, J. and Scovell, W.M.
cis-Diamminedichloroplatinum (II) modified chromatin and nucleosomal core particle (1089) 377
Helms, L.R. and Swenson, R.P.
Cloning and characterization of the flavodoxin gene from *Desulfovibrio desulfuricans* (1089) 417
Hughes, V., see Da Cruz e Silva,, E.F. (1089) 269

Ichihara, A., see Tamura, T. (1089) 95
Igarashi, K., see Seno, M. (1089) 244
Ikejiri, K., Furuichi, M., Ueno, T., Matsuguchi, T., Takahashi, K., Endo, H. and Yamamoto, M.
The presence and active transcription of three independent leader exons in the mouse insulin-like growth factor II gene (1089) 77
Ishimaru, K., see Seno, M. (1089) 244

Jansen, J.J.M., Mulder, W.R., De Caluwé, G.L.J., Vlak, J.M. and De Grip, W.J.
In vitro expression of bovine opsin using recombinant baculovirus: the role of glutamic acid (134) in opsin biosynthesis and glycosylation (1089) 68
Jentsch, S., Seufert, W. and Hauser, H.-P.
Genetic analysis of the ubiquitin system (1089) 127

Kaan, A., see Zaman, G. (1089) 183
Kalsner, I., see Adolf, G.R. (1089) 167
Kataoka, H. and Biswas, C.
Nucleotide sequence of a cDNA for the α subunit of human mitochondrial ATP synthase (1089) 393
Kawanishi, Y.-i., see Matuda, S. (1089) 1
Kay, J., see Kille, P. (1089) 407
Kihara, F. and Ariga, H.
A eukaryotic nuclear protein of 130 kDa binds to a bacterial cAMP responsive element (1089) 227
Kille, P., Stephens, P.E. and Kay, J.
Elucidation of cDNA sequences for metallothioneins from rainbow trout, stone loach and pike liver using the polymerase chain reaction (1089) 407
Kim, J.W., Komano, H. and Natori, S.
Purification of a stage-specific and sequence-specific DNA-binding protein for the arylphorin gene of *Sarcophaga peregrina* (1089) 21
Kinne, R.K.H., see Morrison, A.I. (1089) 121
Kinzel, V., see Wiemann, S. (1089) 254
Kitagawa, Y., Shima, H., Sasaki, K. and Nagao, M.
Identification of the promoter region of the rat protein phosphatase 2Aα gene (1089) 339
Knöchel, W., see Plessow, S. (1089) 280
Kolchanov, N.A., see Rogozin, I.B. (1089) 175
Komano, H., see Kim, J.W. (1089) 21
Konings, R., see Zaman, G. (1089) 183
Köster, M., see Plessow, S. (1089) 280
Kreinin, M.O., see Rabinovich, Y.M. (1089) 193
Kumagai, H., see Tamaki, H. (1089) 276
Kumagai, H., see Yohda, M. (1089) 234

Landon, M., see Mayer, R.J. (1089) 141
László, L., see Mayer, R.J. (1089) 141
Leberman, R., Härtlein, M. and Cusack, S.
Escherichia coli seryl-tRNA synthetase: the structure of a class 2 aminoacyl-tRNA synthetase (1089) 287
Lee, D.H., see Tamura, T. (1089) 95
Li, L.-Y., see Ulrich, A.K. (1089) 362
Lomax, M.I., see Smith, E.O. (1089) 266
Lonsdale, D.M., see Rogers, H.J. (1089) 411
Lorenzetti, R., see Sosio, M. (1089) 401
Lowe, J., see Mayer, R.J. (1089) 141

MacGillivray, R.T.A., see Banfield, D.K. (1089) 262
Maher, F. and Harrison, L.C.
Stimulation of glucose transporter (GLUT1) mRNA and protein expression by inhibitors of glycosylation (1089) 27
Mäkelä, J., see Oikarinen, A. (1089) 40
Mallucci, L., see Chiariotti, L. (1089) 54
Marc-Martin, S., see Bonny, C. (1089) 213
Martegani, E., see Forlani, N. (1089) 47
Martegani, E., see Frascotti, G. (1089) 206
Matsuguchi, T., see Ikejiri, K. (1089) 77
Matuda, S., Nakano, K., Ohta, S., Saheki, T., Kawanishi, Y.-i. and Miyata, T.
The α-ketoacid dehydrogenase complexes. Sequence similarity of rat pyruvate dehydrogenase with *Escherichia coli* and *Azotobacter vinelandii* α-ketoglutarate dehydrogenase (1089) 1
Maurer-Fogy, I., see Adolf, G.R. (1089) 167
Mayer, R.J., Arnold, J., László, L., Landon, M. and Lowe, J.
Ubiquitin in health and disease (1089) 141
Mbikay, M., see Nolet, S. (1089) 247
McDonald, P., see Da Cruz e Silva,, E.F. (1089) 269
Merkulova, T.I., see Seledtsov, I.A. (1089) 367
Metsäranta, M., Toman, D., De Crombrugghe, B. and Vuorio, E.
Specific hybridization probes for mouse type I, II, III and IX collagen mRNAs (1089) 241
Meyerhans, A., see Morelle, G. (1089) 320
Michel, H., see Söhlemann, P. (1089) 103
Mitsui, Y., see Saida, K. (1089) 404
Miyata, T., see Matuda, S. (1089) 1
Montandon, P.-E., see Bonny, C. (1089) 213
Morelle, G., Frank, R. and Meyerhans, A.
Restructuring the translation initiation region of the human parathyroid hormone gene for improved expression in *Escherichia coli* (1089) 320
Morrison, A.I., Panayotova-Heiermann, M., Feigl, G., Schölermann, B. and Kinne, R.K.H.
Sequence comparison of the sodium-D-glucose cotransport systems in rabbit renal and intestinal epithelia (1089) 121
Moschonas, N.K., see Tzimagiorgis, G. (1089) 250
Mulder, W.R., see Jansen, J.J.M. (1089) 68
Muto, K., see Nohno, T. (1089) 273

Nagao, M., see Kitagawa, Y. (1089) 339
Nakano, K., see Matuda, S. (1089) 1
Nakano, T., see Oka, K. (1089) 13
Nassif, N., see Titchen, D.A. (1089) 61
Natori, S., see Kim, J.W. (1089) 21
Nehls, U., see Weidner, U. (1089) 391
Nesbitt, J.E. and Fuller, G.M.
Transcription and translation are required for fibrinogen mRNA degradation in hepatocytes (1089) 88
Newton, G. and Gennis, R.B.
In vivo assembly of the cytochrome *d* terminal oxidase complex of *Escherichia coli* from genes encoding the two subunits expressed on separate plasmids (1089) 8

Nohno, T., Muto, K., Noji, S., Saito, T. and Taniguchi, S.
Isoforms of retinoic acid receptor β expressed in the chicken embryo (1089) 273
Noji, S., see Nohno, T. (1089) 273
Nolet, S., Mbikay, M. and Chrétien, M.
Prostatic secretory protein PSP_{94}: gene organization and promoter sequence in Rhesus monkey and human (1089) 247

Oeckl, C., see Söhlemann, P. (1089) 103
Ohta, S., see Matuda, S. (1089) 1
Oikarinen, A., Mäkelä, J., Vuorio, T. and Vuorio, E.
Comparison on collagen gene expression in the developing chick embryo tendon and heart. Tissue and development time-dependent action of dexamethasone (1089) 40
Oka, K., Nakano, T., Tkalcevic, G.T., Scow, R.O. and Brown, W.V.
Molecular cloning of mouse hepatic triacylglycerol lipase: gene expression in combined lipase-deficient (*cld/cld*) mice (1089) 13
Okada, H., see Yohda, M. (1089) 234
Osaka, F., see Tamura, T. (1089) 95
Ostermann, E., see Adolf, G.R. (1089) 167

Panayotova-Heiermann, M., see Morrison, A.I. (1089) 121
Papaconstantinou, J., see Carter, K.C. (1089) 197
Parker, J., see Ulrich, A.K. (1089) 362
Patzelt, E., see Adolf, G.R. (1089) 167
Payne, R.M., Haas, R.C. and Strauss, A.W.
Structural characterization and tissue-specific expression of the mRNAs encoding isoenzymes from two rat mitochondrial creatine kinase genes (1089) 352
Plessow, S., Köster, M. and Knöchel, W.
cDNA sequence of *Xenopus laevis* bone morphogenetic protein 2 (BMP-2) (1089) 280
Post, D.J., see Carter, K.C. (1089) 197
Price, G., see Bell, D. (1089) 299
Pyerin, W., see Wiemann, S. (1089) 254

Rabinovich, Y.M. and Kreinin, M.O.
Evidence for non-uniform translation of individual polypeptides in rat liver mitochondria (1089) 193
Ratner, D.I., see DeSilver, D.A. (1089) 309
Reddy, R., see Yuan, Y. (1089) 33
Reske, K., see Syha-Jedelhauser, J. (1089) 414
Reuvekamp, R., see Taanman, J.-W. (1089) 283
Rizzuto, R., Sandonà, D., Capaldi, R.A. and Bisson, R.
Characterization of a cDNA encoding subunit VI of cytochrome *c* oxidase from the slime mold *Dictyostelium discoideum* (1089) 386
Robbiati, F., see Sosio, M. (1089) 401
Robertson, K.A., see Banfield, D.K. (1089) 262
Rogers, H.J., Allen, R.L., Hamilton, W.D.O. and Lonsdale, D.M.
Pollen specific cDNA clones from *Zea mays* (1089) 411
Rogozin, I.B., Solovyov, V.V. and Kolchanov, N.A.
Somatic hypermutagenesis in immunoglobulin genes. I. Correlation between somatic mutations and repeats. Somatic mutation properties and clonal selection (1089) 175
Röhlen, D.A., see Van der Pas, J.C. (1089) 389

Sabloff, M., see Bell, D. (1089) 299
Sackmann, U., see Weidner, U. (1089) 391
Sadoul, R. and Featherstone, M.S.
Sequence analysis of the homeobox-containing exon of the murine Hox-4.3 homeogene (1089) 259
Saheki, T., see Matuda, S. (1089) 1
Saida, K. and Mitsui, Y.
cDNA cloning, sequence analysis and tissue distribution of a precursor for vasoactive intestinal contractor (VIC) (1089) 404
Saito, T., see Nohno, T. (1089) 273
Sandonà, D., see Rizzuto, R. (1089) 386
Sasada, R., see Seno, M. (1089) 244
Sasaki, K., see Kitagawa, Y. (1089) 339
Scheper, G.C., Thomas, A.A.M. and Voorma, H.O.
The 5′ untranslated region of encephalomyocarditis virus contains a sequence for very efficient binding of eukaryotic initiation factor eIF-2/2B (1089) 220
Schoenmakers, J., see Zaman, G. (1089) 183
Schölermann, B., see Morrison, A.I. (1089) 121
Schrage, C., see Taanman, J.-W. (1089) 283
Schwendenwein, R., see Adolf, G.R. (1089) 167
Scovell, W.M., see Hayes, J. (1089) 377
Scow, R.O., see Oka, K. (1089) 13
Seledtsov, I.A., Solovyev, V.V. and Merkulova, T.I.
New elements of glucocorticoid-receptor binding sites of hormone-regulated genes (1089) 367
Seno, M., Sasada, R., Watanabe, T., Ishimaru, K. and Igarashi, K.
Two cDNAs encoding novel human FGF receptor (1089) 244
Seufert, W., see Jentsch, S. (1089) 127
Shima, H., see Kitagawa, Y. (1089) 339
Shin, S., see Tamura, T. (1089) 95
Smetsers, A., see Zaman, G. (1089) 183
Smith, E.O., BeMent, D.M., Grossman, L.I. and Lomax, M.I.
The cDNA for the heart/muscle isoform of bovine cytochrome *c* oxidase subunit VIa encodes a presequence (1089) 266
Söhlemann, P., Oeckl, C. and Michel, H.
Expression in *Escherichia coli* of the genes coding for reaction center subunits from *Rhodobacter sphaeroides*: wild-type proteins and fusion proteins containing one or four truncated domains from *Staphylococcus aureus* protein A at the carboxy-terminus (1089) 103
Solovyev, V.V., see Seledtsov, I.A. (1089) 367
Solovyov, V.V., see Rogozin, I.B. (1089) 175
Sommergruber, W., see Adolf, G.R. (1089) 167
Sosio, M., Lorenzetti, R., Robbiati, F. and Denaro, M.
Nucleotide sequence to a teicoplanin resistance gene from *Actinoplanes teichomyceticus* (1089) 401
Stark, M.J.R., see Da Cruz e Silva,, E.F. (1089) 269
Stein, O., see Friedman, G. (1089) 83
Stein, Y., see Friedman, G. (1089) 83
Stephens, P.E., see Kille, P. (1089) 407
Strauss, A.W., see Payne, R.M. (1089) 352
Stutz, E., see Bonny, C. (1089) 213
Sun, X.-p., see Zhu, J.-d. (1089) 158
Swenson, R.P., see Helms, L.R. (1089) 417
Syha-Jedelhauser, J., Wendling, U. and Reske, K.
Complete coding nucleotide sequence of cDNA for the class II RT1.B β^1 chain of the Lewis rat (1089) 414

Taanman, J.-W., Schrage, C., Bokma, E., Reuvekamp, R., Agsteribbe, E. and De Vries, H.
Nucleotide sequence of the last exon of the gene for human cytochrome *c* oxidase subunit VIb and its flanking regions (1089) 283
Takahashi, H., see Tanaka, K. (1089) 113
Takahashi, K., see Ikejiri, K. (1089) 77
Tamaki, H., Kumagai, H. and Tochikura, T.
Nucleotide sequence of the yeast glutathione *S*-transferase cDNA (1089) 276
Tamura, T., Lee, D.H., Osaka, F., Fujiwara, T., Shin, S., Chung, C.H., Tanaka, K. and Ichihara, A.
Molecular cloning and sequence analysis of cDNAs for five major subunits of human proteasomes (multi-catalytic proteinase complexes) (1089) 95
Tanaka, K. and Takahashi, H.
Cloning and analysis of the gene (*rpoDA*) for the principal σ factor of *Pseudomonas aeruginosa* (1089) 113

Tanaka, K., see Tamura, T. (1089) 95
Taniguchi, S., see Nohno, T. (1089) 273
Thomas, A.A.M., see Scheper, G.C. (1089) 220
Thompson, A.R., see Titchen, D.A. (1089) 61
Thompson, E.O.P., see Titchen, D.A. (1089) 61
Titchen, D.A., Glenn, W.K., Nassif, N., Thompson, A.R. and Thompson, E.O.P.
A minor globin gene of the bivalve mollusc *Anadara trapezia* (1089) 61
Tkalcevic, G.T., see Oka, K. (1089) 13
Tochikura, T., see Tamaki, H. (1089) 276
Toman, D., see Metsäranta, M. (1089) 241
Treves, A.J., see Friedman, G. (1089) 83
Tzimagiorgis, G. and Moschonas, N.K.
Molecular cloning, structure and expression analysis of a full-length mouse brain glutamate dehydrogenase cDNA (1089) 250

Ueno, T., see Ikejiri, K. (1089) 77
Ulrich, A.K., Li, L.-Y. and Parker, J.
Codon usage, transfer RNA availability and mistranslation in amino acid starved bacteria (1089) 362
Umelas, T.M., see Banfield, D.K. (1089) 262

Van den Bergh, C.J., see Bekkers, A.C.A.P.A. (1089) 345
Van der Pas, J.C., Röhlen, D.A., Weidner, U. and Weiss, H.
Primary structure of the nuclear-encoded 29.9 kDa subunit of NADH:ubiquinone reductase from *Neurospora crassa* mitochondria (1089) 389
Vanoni, M.A., see Frascotti, G. (1089) 206
Verbakel, J.M.A., see Bekkers, A.C.A.P.A. (1089) 345
Verheij, H.M., see Bekkers, A.C.A.P.A. (1089) 345
Vlak, J.M., see Jansen, J.J.M. (1089) 68
Voorma, H.O., see Scheper, G.C. (1089) 220
Voß, H., see Wiemann, S. (1089) 254
Vuorio, E., see Metsäranta, M. (1089) 241
Vuorio, E., see Oikarinen, A. (1089) 40
Vuorio, T., see Oikarinen, A. (1089) 40

Wang, F., see Zhu, J.-d. (1089) 158
Watanabe, T., see Seno, M. (1089) 244
Weidner, U., Sackmann, U., Nehls, U. and Weiss, H.
Primary structure of the nuclear-encoded 18.3 kDa subunit of NADH:ubiquinone reductase (complex I) from *Neurospora crassa* mitochondria (1089) 391
Weidner, U., see Van der Pas, J.C. (1089) 389
Weiss, H., see Van der Pas, J.C. (1089) 389
Weiss, H., see Weidner, U. (1089) 391
Wells, V., see Chiariotti, L. (1089) 54
Wendling, U., see Syha-Jedelhauser, J. (1089) 414
Wiemann, S., Voß, H., Kinzel, V. and Pyerin, W.
Rat Cα catalytic subunit of the cAMP-dependent protein kinase: cDNA sequence and evidence that it is the only isoform expressed in myoblasts (1089) 254
Woodworth, R.C., see Banfield, D.K. (1089) 262

Yamaguchi, K., see Fueki, T. (1089) 325
Yamamoto, M., see Ikejiri, K. (1089) 77
Yohda, M., Okada, H. and Kumagai, H.
Molecular cloning and nucleotide sequencing of the aspartate racemase gene from lactic acid bacteria *Streptococcus thermophilus* (1089) 234
Yuan, Y. and Reddy, R.
5′ Flanking sequences of human MRP/7-2 RNA gene are required and sufficient for the transcription by RNA polymerase III (1089) 33

Zaman, G., Smetsers, A., Kaan, A., Schoenmakers, J. and Konings, R.
Regulation of expression of the genome of bacteriophage M13. Gene V protein regulated translation of the mRNAs encoded by genes I, III, V and X (1089) 183
Zannis-Hadjopoulos, M., see Bell, D. (1089) 299
Zhu, J.-d., Sun, X.-p. and Wang, F.
The DNA intercalator, ethidium bromide, alters the pattern of DNAse I hypersensitive sites of the β^A-globin gene in chicken erythrocytes (1089) 158
Zöphel, A., see Adolf, G.R. (1089) 167